

राष्ट्रीय प्रतिरक्षा रुधिर विज्ञान संस्थान
(भारतीय आयुर्विज्ञान अनुसंधान परिषद)
NATIONAL INSTITUTE OF IMMUNOHAEMATOLOGY
(India Council of Medical Research)

१३ वी मंजिल, नयी बहुमंजिल इमारत,
के.ई.एम. अस्पताल परिसर,
परेल, मुंबई - ४०० ०१२.
दूरभाष : २४१३८५१८-१९/२४११११६१
फॅक्स : ९१२२-२४१३८५२१



13th Floor, New Multistoreyed Building,
K.E.M. Hospital Campus,
Parel, Mumbai - 400 012. (India)
Tel. No.: 2413 85 18/19 / 2411 11 61
Fax No. : 9122- 2413 8521
Email : director@niih.org.in

संदर्भ क्र :
Ref No. :

Limited Tender Notice No: NIIH/STORE/22/2018-19

DATE: 12/09/2018

The Director, ICMR-National Institute of Immnohaematology NIIH, ICMR, Mumbai, invites sealed limited tender in two bid System up-to 11.10.18 (Thursday) (4.00 PM) from Manufacturers/Sole Authorized Dealer / Distributors for purchase of following equipment as per details given below during the financial year 2018-2019 :-

Sr. No.	Name of Equipment	Qty	Specification	EMD
01	MINUS 80 DEGREE CENTIGRADE TABLE TOP FREEZER.	01	<p>Counter top design: Should be <100 L capacity</p> <p>Operating temperatures:</p> <ul style="list-style-type: none"> ➤ Should have a temperature range of - 50°C to -80°C ➤ Should be able to withstand ambient temperature conditions. <p>Control system:</p> <ul style="list-style-type: none"> ➤ Should have Digital temperature display ➤ Should have Push-button set point display ➤ Should have Key-operated main power switch. <p>Alarms:</p> <ul style="list-style-type: none"> ➤ Should have Integrated preset over-temperature / power failure safety alarm 	15000.00

			<ul style="list-style-type: none"> ➤ Should have hermetically sealed refrigeration compressor. ➤ Should have polyurethan insulation to protect product against high ambient conditions. 	
02	LIGHT TRANSMITTANCE AND WHOLE BLOOD PLATELET LUMIAGGREGOMETER (BUYBACK)	01	<ul style="list-style-type: none"> ➤ The Platelet aggregometer should have the ability to measure simultaneously platelet aggregation and ATP release by luminescence mode and should be able to provide rapid and reliable platelet function screening. ➤ Should have the software to perform ristocetin cofactor assay for at least four independent samples, for a total of eight simultaneous test results. ➤ Should be able to perform high volume testing of platelet aggregation and secretion directly in whole blood samples, without the preparation of PRP, requiring less time and less than 0.5 ml of whole blood for the diagnosis of specific platelet disorders. ➤ Should have the capability to use disposable probes or reusable electrodes for impedance aggregation. ➤ Should be able to set the baseline and gain with a single push button. ➤ Should include an internal computer interface and software for measuring at least four samples of simultaneous aggregation and luminescence: a total of eight tracings. ➤ Should be able to quantitate ATP release for platelet dense granule secretion and eliminate the need for time consuming dose response testing to confirm second-wave aggregation. ➤ Should be able to perform direct measurement of impaired secretion in storage pool disease, and aspirin related platelet dysfunction. ➤ Should be FDA cleared. 	35000.00

03	THROMBOELASTOMETRY FOR VISCOELASTIC TESTING (COMPLETE SYSTEM WITH COMPUTER, UPS AND PRINTER)	01	<ul style="list-style-type: none"> ➤ Should have minimum 4 independent channels tempered to 37+/- 1.0 degree centigrade ➤ (default physiologic temperature) with inbuilt software for running the tests and with internal autocalibrator system for each test ➤ 2. Should be able to measure multiple parameters and multiple patients at the same time ➤ 3. Should be able to detect factor deficiency, platelet defect and fibrinolytic defect with least turnaround time ➤ 4. Should have Touch screen monitor, all channels data visible at the same time, electronic pipette ➤ 5. Barcode reader to scan patient data ,samples, reagents as well as quality controls ➤ 6. Should be FDA approved with provision for future upgradation ➤ 7. Should have LAN compatibility and should be connected to HIS/LIS system of the hospital. ➤ 8. Internal hard disk memory minimum 500 GB space for storing data with keyboard and option to connect to printer 	35000.00
04	SEMIAUTOMATED COAGULOMETERS (BUYBACK)- 2 NOS	02	<ul style="list-style-type: none"> ➤ Semi-automated, Viscosity-based (mechanical) detection system. ➤ Test menu should include: Prothrombin time, activated partial thromboplastin time, Fibrinogen, 	15000.00

			<p>Thrombin time, Lupus anticoagulants, dRVV time, Protein C and Protein S activity, coagulation factor assays and all clot based assays.</p> <ul style="list-style-type: none"> ➤ Open system: should accept reagents from other manufacturers. ➤ Minimum 4 measurement channels with magnetic stirrers and independent in-built timers for alarm for simultaneous measurement of 4 samples at a time. ➤ Minimum 16 incubation channels with in-built incubator block. ➤ Should have 4 Reagent block with 2 block @ Temperature: 37 °C ± 0.2 °C. ➤ Timer: in-built, 4 independent timers with audible alarm for incubation and measurement channels ➤ Attached cabled electronic micropipette for sample and reagent dispensing. ➤ Motorized magnetic stirrer. ➤ Large Display: back-lit, LCD display ➤ Integrated membrane key pad or touch screen for data entry with numerical and function control keys. ➤ Automatic self-test at start up. ➤ Auto-start and stop of test measurement. ➤ Pre-programmed test settings – should be easily modifiable. ➤ Representation of results in terms of seconds, INR, PT ratio, g/L, mg/dL, % activity, ➤ Facility for generating standard curve for Fibrinogen, Factor assays and Inhibitors. ➤ Facility for storing test parameters in the system. ➤ Facility store quality control result for 	
--	--	--	--	--

			<p>6 Month.</p> <ul style="list-style-type: none"> ➤ Coefficient of Variation (C.V.): for PT should be < 2% at normal and abnormal ranges ➤ Should be insensitive to interference from hemolysed, icteric or lipemic samples. ➤ Should detect weak and small clots. ➤ The analyser should have 2 USB ports for printer and external drive.1 mini USB port for handheld barcode reader. RS 232 unidirectional interface ➤ There should be tracking of all events, changes and operators through login/logout feature. ➤ The analyser should have complete management of reagents, QC information, patient results and calibration data ➤ Should have facility for interfacing, for online transfer of test results to hospital information system. ➤ External printer: for low cost black & white printing, preferably Epson type that can be operated through direct attachment via USB connector. ➤ Accessories to be supplied free with the system (Ball Dispenser, Different Size Reagent bottle holders, Cabled pipette tips for electronic pipette) ➤ Certification: Product certification: CE Class II A or US FDA certification of inspection and calibration. Quality Certification: ISO 9001 and ISO 13485 certified by USA / European / Japanese certifying body ➤ At least 50 sample DATA storage on system ➤ Easy data transportation to host computer 	
--	--	--	---	--

05	FULLY AUTOMATED THROMBIN GENERATION ANALYZER. (COMPLETE SYSTEM INCLUDING A DEDICATED COMPUTER, PRINTER, SOFTWARE AND UPS OF AT LEAST 30 MINUTES BACK UP)-BUYBACK	01	<ul style="list-style-type: none"> ➤ Should have Minimum 24 samples and 24 reagent positions on board with positive barcode identification system, with continues loading of samples. ➤ Should detect Lag Time, Peak Hight, Time to peak, Start Tail, Velocity Index & ETP as additional parameters for sample. ➤ Should have Control & Reference sample per run. ➤ Hardware should be Intel Dual-Core Mobile CPU with minimum 4Gb Memory & 500 Gb Hard Disk. 	35000.00
06	LAMINAR AIR FLOW	01	<ul style="list-style-type: none"> ➤ Down Flow unidirectional air ➤ Well finish SS304/316 ➤ Audible Visible alarm for AirFail/Filter Life ➤ High Quality HEPA Filter for supply and exhaust with filter consumption log. ➤ Down flow 90 +_ 10 FPM velocity or 0.45 +_ 0.005 m/s ➤ Pre filter front entry for filt major particle to increase main HEPA filter life. ➤ Upstream valve port top connected to HEPA for filter integrity test. ➤ Noise free dynamically balance EBM motor blower or double shaft anti vibrate motor blower with thermal protection. ➤ Velocity FPM or m/s displayed on front panel for internal velocity. ➤ Thermo hot wire sensor installed 6 inch below HEPA for velocity measurement. ➤ VFD control system inbuilt microprocessor for velocity control. ➤ Internal access electrical panel for easy maintenance calibration. ➤ Extra internal outlets with flap cover to avoid dust collection. ➤ DQ, IQ, OQ, PQ document. ➤ Certification CE/GMP. 	10000.00

07	SINGLE PAN BALANCE	01	<ul style="list-style-type: none"> ➤ IQ OQ PQ certification ➤ CE certified ➤ 2 year warranty ➤ Linearity. g ➤ Stabilization time ≤ 8 sec ➤ Maximum Capacity 620 g, Readability 0.1 mg, External Calibration (500g calibration weight included), Weighing Plate:128 mm 	5000.00
08	Workstation	01	<ul style="list-style-type: none"> ➤ Latest Intel Xeon Processor (3.2 GHz, 4C, 8.25M Cache, No Turbo, No HT, (120W) DDR4-2400 x1 ➤ Slim ODD bezel, 100% tie with slim ODD 1 ➤ EUP enable info mod 1 ➤ 128GB (4x32GB) 2666MHz DDR4 RDIMM ECC x1 ➤ 3.5" 4TB 5400rpm SATA Hard Drive x1 ➤ Integrated Intel AHCI SATA chipset controller (8x 6.0Gb/s), SW RAID 0,1,5,10 x1 ➤ CPU Heatsink 5820 Tower 1 ➤ 8x DVD+/-RW 9.5mm Optical Disk Drive 1 ➤ Power Cord ➤ NVIDIA Graphic Card, 1GB, x 1 ➤ Wired Mouse ➤ Wired Keyboard x1 ➤ Windows 10 Pro and Linux OS (CentOS recommended) ➤ Display Monitor 21.5" ➤ Windows 10 Pro OS Recovery 64bit - USB 1 ➤ Office 2013 Trial 1 ➤ Recovery Environment 1 ➤ Dell Applications for Windows 1 ➤ Dell Precision Optimizer 1 ➤ Support Assist 1 ➤ SATA/SAS Hard Drive/Solid State Drive x 1 ➤ Should provide parallel access to Windows and Linux OS ➤ Limited Warranty:Yr1-3 (Labor) 1 	5000.00

			<ul style="list-style-type: none"> ➤ Limited Warranty:Yr1-3 (Parts) 1 ➤ 3Yr ProSupport:Next Business Day Onsite Service x1 ➤ 3Yr ProSupport:(7x24) Technical Support & Assistance x1 ➤ Installation & Commissioning of the machine. ➤ Installation and fine-tuning of user sought applications. ➤ On-site comprehensive Warranty and Support for 3 years. ➤ Training on usage for submission of Jobs on-site and remotely. 	
09	Laboratory Oven	01	<ul style="list-style-type: none"> ➤ IQ OQ PQ certification ➤ Capacity - 105Lit ➤ Dimension: (w x d x h) ➤ Interior (mm) - 480x485x535 ➤ Exterior (mm) - 653x711x879 ➤ Heater Power - 1.4 kW ➤ Power Consumption - 1390 W 	5000.00

Terms & Conditions :-

Tenders should reach this office positively on or before 11.10.2018 (Thursday) at (4.00PM). Technical offer will be opened on 15.10.2018 (Monday) at (11.00 a.m.). The Tenderers or their authorized representatives should be present at that time. Late tenders will not be entertained. The financial bids of the tenderers whose bid will qualify technically, will be opened on 31.10.2018 (Wednesday) at (11.00 am).

Every firm who submits a tender shall submit the tender in usual printed form of their firm. The firm should also quote latest version having the mentioned or higher technical specification. If there is any upgraded version is launched at the time of placing order, the firm should inform the institute. The firm should Submit that the items is new equipment & not a refurbished.

The time allowed for supplying items as mentioned in the tender shall be strictly observed by the tenderer & shall be deemed to be of the essence of the contract on the part of the tenderer.

Earnest money mentioned against the item should be deposited by every firm except those firms which are registered with NISC etc. in the office through Demand Draft along with the Technical Bid in Favour of Director, ICMR-National Institute of Immunohaematology (ICMR-NIIH), Mumbai, which shall be retained after accepting the tender. Tender without having the EMD is liable to be rejected.

In the event of tender being rejected, the earnest money forwarded with such unaccepted tender shall thereupon be returned to the tenderer.

If the tenderer fails to supply the items within the stipulated period or to complete their promises committed in their tenders or during negotiation / discussion, the tender shall be forfeited & no further business will be done with that firm & action to black list the firm may also be taken.

The supply should generally be made in the office premises within 2-3 weeks from the date of issue of supply order & in case of imported item, the delivery should be made as the time mentioned in the tender. If there are any charges to be paid due to delay in supply the same will be borned by the tenderer and any charges may also be cancelled in special contingent circumstances.

Service of products after sale preferably at Mumbai / **Key long (Maharashtra)** or the nearest place should be mentioned. Please mention the time after lodging the complaint a certificate for local support given by manufacturer.

Priority shall be given to the ISO Certified supplier & the material should be ISI or ISO certified.

If quoted equipment or model is discontinued after quoting the item, the firm will supply the equivalent or higher version.

Prices should be valid upto 31/07/2019.

No advance payment will be made. 100% payment will only be released after supplying & successful installation of the equipment. The equipment should be on **3 Years Warranty / CMC (Annexure – A) & 2 Years non comprehensive service for equipment Free of cost &** after furnishing security deposit in the form of **Bank Guarantee (Annexure –B)** issued by any Nationalized / Commercial Bank / FDR (duly pledged in Favour of Director, **NIIH**, Mumbai) / Demand Draft @ 10 % of the value for a period of sixty days beyond the expiry of the warranty period. Security deposit is not required in case of value of equipment is upto Rs.1.00 Lakh. In case security deposit is not furnished by the firm then this amount will be deducted at the time of releasing the payment.

The envelope containing tender should be superscribed with Limited Tender for purchase of Equipments (name of equipment must be mentioned) during the year 2018 – 2019. **Separate envelope** must be used for each equipment. In case more than one tender are received in a single envelope all tenders will be summarily rejected.

Any assembled parts or the parts from the grey market will not be acceptable. For any repair / replacement of the item, only the accessories authorized by the Manufacturers should be used. During the Guarantee / Warranty period any upgradation or updating, if necessary will have to be done at the cost of the supplier.

Break down service will have to be provided preferably within 3 working days of the first call. If the break-down period is beyond, the penalty action will be taken against the firm /company.

Every tender for equipments should contain two envelopes one with **technical specification** of the Equipment & the order with the financial **tender**. The separate rates for each make & model should be quoted. The tender that qualifies for the technical specification only will be taken for consideration of the financial aspects.

A certificate regarding manufacturer / distributorship should be attached along with the tender.

Incomplete tenders are liable to be rejected.

In case of any dispute, jurisdiction will be at Mumbai.

The supplier should mention about the same or other equipment installed in and around Mumbai along with their stations and date of installation and a certificate from the user/ person.

Director reserves the right to accept or reject all or any tender partly or fully and also increase or decrease the quantity of the items without assigning any reasons. No correspondence will be entertained in this regard.

Rates of tender for imported equipment will be on **F.O.B.** basis destination up to New Delhi and all the dispatch related information of the item like Packing Slip, Airway Bill, Bill of Lading

(Original), Certificate of Origin from Chamber of Commerce (Original), especially for credit supplies. Insurance Certificate (Original) shall be communicated to this office well in time.

The firms, which have enclosed transaction details done by them for the last three years will be eligible for submitting the tender form. Please submit the audited balance sheets of last three years as a proof, otherwise tender will not be considered.

Council employees or their relatives are not entitled to purchase or submit the tender forms.

Detailed Tender documents can be seen and download from the website of this office <http://niih.org.in> / <https://icmr.nic.in> of Institutes headquarter at New Delhi,

The tenderer has to submit the copies of their valid/current income tax clearance along with PAN and copies of GSTN also.

Every tenderer, should submit complete tender document duly filled and signed with seal of the firm along with the necessary documents, viz. Declaration Form and Warranty / Guarantee certificate, otherwise their bid will not be accepted.

A schedule for AMC charges for a period of minimum 05 years after warranty period must be attached along-with the price bid in the enclosed (**Annexure-C**)

As per GOI instructions, all payments to suppliers etc. are to be made by direct credit to the bank account of the beneficiaries through PFMS. Therefore all the beneficiaries (Suppliers/firms) are essentially required to submit/fill up the mandate form (**Annexure-D**) duly attested along-with a cancelled cheque of the firm. In case there is a change in the beneficiary's account number etc. in later stage, the revised mandate form shall have to be furnished.

Prior turnover and prior experience to Micro & Small Enterprises (MSES) is relaxable subject to meeting of quality and technical specifications in accordance with the relevant provisions of GFR-2017. Encl- declaration form.

Director

Annexure-A

WARRANTY CERTIFICATE

We Warrant that everything to be supplied by us hereunder shall be brand new, free from all defects and faults in materials, workmanship and manufacture and shall be of the highest grade and quality and consistent with the established and generally accepted standards for material of the type ordered shall be in full conformity with the specification, drawing, or samples, and operate properly. We shall be fully responsible for its efficient operation. This Warranty shall survive inspection of any payment or and acceptance of the goods but shall expire after (except in respect of complaints of which the supply has been notified prior to such date) 36 months plus six days beyond the expiry of Comprehensive warranty from the date of successful installation, commissioning and acceptance by **ICMR-National Institute of Immunohaematology**, Mumbai and 2 Years non comprehensive service for equipment Free of cost.

The obligations under the Warranty expressed above shall include all costs relating to labor, spares, maintenance (preventive and unscheduled) and transport charges from site to the manufacturers work and back and free repair/adjustment or replacement at site or any parts of the equipment which under normal and proper use and maintenance proves defective in design, material or workmanship or fails to conform to the specifications previously given by the **ICMR-NIIH**, Mumbai to the supplier.

Signature & seal of bidder

Note: It should be provided in the letter head of the firm/ company.

Annexure-B

(To be typed on 100 rupees Stamp Paper)

Performance Bank Guarantee

Bank Guarantee No.:-----

Amount of Guarantee: Rs. -----
Valid Up to :-----

Guarantee Cover from : to _____ to _____

**The Director
ICMR-National Institute of Immunohaematology,
(Indian Council of Medical Research)
Ministry of Health, Govt. of India
13th Floor, N. M.S. Bldg, KEM Hospital, Parel, Mumbai - 400012**

This deed of guarantee executed by (Name of Bank)Constituted under the (Bank Act) having its Corporate Centre at _____ and amongst other places Branch..... (hereinafter referred to as “the Bank”) in favour of **Director, ICMR - National Institute of Immunohaematology — Mumbai - 400012.** (hereinafter referred to as “the Beneficiary”) for an amount not exceeding Rs. (Rupees) at the request of (Name of Firm) (hereinafter referred to as “the Contractors”).

This Guarantee is issued subject to the condition that the liability of the Bank under this Guarantee is limited to a maximum of Rs. (Rupees) and the Guarantee shall remain in full force upto _____ and cannot be invoked otherwise than by a written demand or claim under this Guarantee served on the bank on or before

Whereas you have entered in to a contract reference No..... P.O. No. JBP/NIRTH/Stores/Budget/ / Dt:.....with (Name of Firm)..... for the supply of which is hereinafter referred to as “the said contract” and whereas (Name of Firm) has undertaken to produce Bank Guarantee for the 10% of the contract price amounting to Rs. (Rupees to secure its obligations to **ICMR - National Institute of Immunohaematology - Mumbai - 400012.** for the warranty of the equipment supplied.

We, (Name of Bank) hereby expressly irrevocably and unreservedly undertake and guarantee as Principal obliges on behalf of (Name of Firm) that in the event **ICMR - National Institute of Immunohaematology - Mumbai - 400012** declares to us through you that (Name of Firm)..... .. has not fulfilled the warranty/other obligations according to the contractual warranty obligations under the said contract to pay you on demand without any reference to M/s an amount of Rs. (Rupees Notwithstanding any right/disputes raised by (Name of Firm) or any said or proceedings pending in any competent Indian Court or before any arbitration tribunal, your written demand shall be conclusive

evidence to us that such payment is payable under the terms of the said contract and shall be binding in all respect on us.

We shall not be discharged or released from the aforesaid undertaking and guarantee by any arrangements, variations made between you and (Name of Firm) indulgence to (Name of Firm) by you with or without our consent and knowledge or by alterations in the obligations of (Name of Firm) by any forbearance whether as to payment time performance or otherwise.

We further agree and undertake not to revoke this guarantee before the same is discharged in writing by you. This guarantee shall remain valid until.....

Notwithstanding anything contained herein. Our liability under this guarantee is restricted to Rs.(Rupees

This Bank Guarantee shall be valid up to We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only if you produce us a written claim or demand and received by us or beforei.e. the date of expiry of this bank guarantee.

The Bank Guarantee should be returned to us after the Expiry date for cancellation purpose, even if the original guarantee is not returned, our liability on this guarantee ceased to exist.

Dated atat thisDay of

Dated: _____

Place: _____

(Signature of authorized Officer of the Bank)

Witness (Name, Address & Signature)

1.

2.

MANDATE FORM FOR RTGS/NEFT

Annexure – D

To,
The Director,
ICMR-NIIH,
13th Floor, N. M. Bldg, KEM Hospital,
Parel, Mumbai – 400012.

1	Vendor Name (Beneficiary Name)	
2	PAN Number	
3	TAN Number	
4	TIN Number	
5	Service Tax No.	
6	GSTN	
7	Complete Address	
8	City	
9	Country	
10	State	
11	District	
12	Pin Code Number	
13	Mobile No.	
14	Phone No.	
15	Email No.	
16	Bank Name	
17	IFSC Code	
18	Account Number	

NOTE: Please attach a photocopy of cancelled cheque for purpose of verification of the concerned Bank account.

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not affected at all for reasons of incomplete and incorrect information, I would not be holding the user Institute responsible.

Date :

Signature/Seal of Dealer /Firm

(To be attached along – with Price Bid only)

Installation, Warranty & Supply of Parts /Spares

Sr. No.	Particular	Description / Annexure
1	Free Warranty Details	
2	Number of Preventive Maintenance Visits per year during FREE Warranty	
3	Discount to be offered by the company on the spares/ parts / consumables/ attachments etc. for the period of minimum 05 years after supply & installation of the equipment	
4	Whether the charges for Installation, Commissioning & testing at NIIH, Mumbai & NIIH FS Key long (Maharashtra.) are included in the price list.	

Authorized signature with stamp

(To be attached along – with Price Bid only)

AMC/CAMC Details

Year -wise AMC/CAMC Charges For 05 years (after free Warranty)	Year	AMC charges	CAMC Charges
	1 st Year		
	2 nd Year		
	3 rd Year		
	4 th Year		
	5 th Year		

Authorized signature with stamp
Signature & Seal of bidder

Annexure H

Check List to be furnished by the bidder

S. No.	Particulars	Compliance (Yes/No)	Page No.
1	When Quotation is from Indian agent / Dealer – whether letter of Authorization of Foreign principal is enclosed in the techno-commercial bid.		
2	Whether the proof of turnover for is enclosed (balance sheet) & PAN No.		
3	For Two Bid System – Whether Techno commercial and Price Bids are kept in separate envelopes duly indicating Techno – Commercial Bid and Price Bid respectively		
4	Whether Tender Number, due date and opening date have been written in all the envelopes		
5	In Case of Tender document downloaded from the website – Whether the tender document fee (demand draft in favour of Director, National Institute of Immunohaematology, Mumbai is enclosed along with Techno commercial bid		
6	EMD – Whether the required EMD is Enclosed along with the Techno commercial bid		
7	In case the firm is exempted from payment of EMD (Like SSIs registered with NSIC, firms registered under DGS & D) – Whether Valid Permanent Enlistment Certificate of NSIC / Valid DGS & D Rate Contract copy is enclosed in the Techno Commercial Bid		
8	If You are an Indian Agent / Dealer / Distributor for a foreign principal have you enclosed the Letter of Authorisation / Agency certificate in the Techno Commercial Bid.		
9	Whether Technical compliance Statement in Annexure B is enclosed in the Techno Commercial Bid		
10	Whether the Deviation Statement in the format given in Annexure C is enclosed in the Techno Commercial Bid		
11	Whether the price bid submit as per Annexure D		
12	Whether Details of After sales support is given as per format in Annexure E and is enclosed in the Techno Commercial Bid		
13	Whether the warranty certificate is enclosed as per Annexure F and is enclosed in the Techno Commercial Bid		
14	Whether Checklist Annexure H enclosed		
15	Whether the List of Users is given as per Annexure I and is enclosed in the Techno Commercial Bid.		
16	Whether the Under taking certificate submitted by the manufacturer as per Annexure K		
17	Whether the Pre-installation requirements is given in the Techno Commercial bid		

18	Whether rate list of spare parts and related consumables to maintain the equipment beyond 3 years comprehensive warranty period is provided (discount should be mentioned)		
19	Whether the Technical Bid/Price Bid has been signed in every page		

Signature & seal of bidder